


75 CURVE





Light Source Latest generation Philips ZHAGA Fortimo LED boards.
Options available

Control Gear Philips ZHAGA XITANIUM LED Driver- Non Dim, DALI
Dim (touchDIM compatible) &
Bluetooth Dimmable


LED Wattage/Lumen Options 16w/Mtr - 1053lm/Mtr
19w/Mtr - 1377lm/Mtr
26w/Mtr - 1781lm/Mtr
35w/Mtr - 2349lm/Mtr
*All 4000K delivered lumen output

LED Colour 3000K - Warm white
4000K - Natural white
5000K - Pure white
2700k - 6500k Tuneable white




LED CRI 80 (Standard)
90

IP Rating IP20

Measurement



Curve Minimum curve radius of 725mm External



Diffuser LED+ Opal Diffuser or Microprismatic

Light Direction Direct or Direct/Indirect

Finishes Standard Power Coat Colours; Gloss/Mannex/Matt Black, Gloss/Mannex/Matt White and Pearl Silver. Range of timber look powder coat options available standard. Natural Anodised Silver standard with other colours available

Mounting Options Wire Suspension
Surface Mounted
Custom Options Available

2.3kg
PER METRE

240v
INPUT

L80B10
>100k hours
Lifetime

7 year
WARRANTY


easeCONNECT

