

ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au


C3637a - YAMANTO TAVERN

C3637a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 21 AUGUST 2026

MISCELLANEOUS EQUIPMENT					REV
ITEM	DESCRIPTION				A
SP1	AS DETAILED IN THE EQUIPMENT SCHEDULE 6-BUTTON PROGRAMMABLE SWITCH PANEL C/W CENTRAL LCD DISPLAY DYNALITE ANTUMBRA DISPLAY ALUMINIUM				A
SP2	AS DETAILED IN THE EQUIPMENT SCHEDULE 6-BUTTON PROGRAMMABLE SWITCH PANEL C/W CENTRAL LCD DISPLAY DYNALITE ANTUMBRA DISPLAY ALUMINIUM				A
SP3	AS DETAILED IN THE EQUIPMENT SCHEDULE 6-BUTTON PROGRAMMABLE SWITCH PANEL C/W CENTRAL LCD DISPLAY DYNALITE ANTUMBRA DISPLAY ALUMINIUM				A
SP4	AS DETAILED IN THE EQUIPMENT SCHEDULE 6-BUTTON PROGRAMMABLE SWITCH PANEL C/W CENTRAL LCD DISPLAY DYNALITE ANTUMBRA DISPLAY ALUMINIUM				
PE CELL	PROGRAMMABLE PE CELL DUS 90CS CONFIRM THE LOCATION ON SITE WITH THE ARCHITECT				A
TIME CLOCK	PROGRAMMABLE TIME CLOCK ENVISION GATEWAY PDEG LOCATED IN DB-A				A
CONTROL MODULE 1					A
TYPE:		DYNALITE DDRC1220FR-GL			A
DESCRIPTION		12CH 20 A FEEDTHROUGH RELAY CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUIT	USE	A
1	SWITCHED	GAMING	4CHANNEL CONTACTOR	SIGNAGE	A
2	SWITCHED	GAMING	2CHANNEL CONTACTOR	G1	A
3	SWITCHED	INTERNAL	DB-A- L1	SIGN	A
4	SWITCHED	EXTERNAL	DB-A- L3	SIGN	A
5	SWITCHED	EXTERNAL	DB-A- L4	SIGN	A
6	SWITCHED	EXTERNAL	DB-A- L5	SIGN	A
7	SWITCHED	EXTERNAL	DB-A- L6	SIGN	A
8					A
9					A
10					A
11					A
12					A



ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au


C3637a - YAMANTO TAVERN

C3637a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 21 AUGUST 2026

CONTROL MODULE 2					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
13	DALI DIM	GAMING	DB-A- L2	S1	A
14	DALI DIM	GAMING	DB-A- L2	S2	A
15	DALI DIM	GAMING	DB-A- L2	S3	A
16	DALI DIM	GAMING	DB-A- L2	RD02	A
17	DALI DIM	GAMING	DB-A- L2	RD03	A
18	DALI DIM	GAMING	DB-A- L2	RD01	A
19	DALI DIM	GAMING	DB-A- L3	S16	A
20	DALI DIM	GAMING	DB-A- L3	S17	A
21	DALI DIM	AMENITY	DB-A- L4	RDO1	A
22	DALI DIM	CIRCULATION	DB-A- L4	RD01	A
23	DALI DIM	CIRCULATION	DB-A- L4	S11	A
24	DALI DIM	GAMING	DB-A- L2	S8	B
CONTROL MODULE 3					A
TYPE:		DYNALITE DDMC802			A
DESCRIPTION		8CH MODULAR CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUIT	USE	A
25	DGTM202	GAMING	DB-A -L5	PD03	A
26		SPORTS BAR		PD04	B
27					C
28					C
29	DGTM202	AMENITY		RD04	A
30		ENTRY		RD04	A
31	DGTM202	BOH		RD04	A
32		SPORTS BAR		PD05	A



ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au


C3637a - YAMANTO TAVERN

C3637a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 21 AUGUST 2026

CONTROL MODULE 4					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
33	DALI DIM	FUNCTION	DB-A- L6	RD01	A
34	DALI DIM	FUNCTION	DB-A- L6	S6	A
35	DALI DIM	SPORTS BAR	DB-A- L6	S8	A
36	DALI DIM	SPORTS BAR	DB-A- L6	S5	B
37	DALI DIM	SPORTS BAR	DB-A- L6	S7	B
38	DALI DIM	SPORTS BAR	DB-A- L6	S8	B
39	DALI DIM	SPORTS BAR	DB-A- L6	S1	B
40	DALI DIM	SPORTS BAR	DB-A- L6	S4	B
41	DALI DIM	SPORTS BAR	DB-A- L6	S15	B
42	DALI DIM	SPORTS BAR	DB-A- L7	TL01	B
43	DALI DIM	SPORTS BAR	DB-A- L7	SL02	B
44	DALI DIM	SPORTS BAR	DB-A- L7	SL01	B
CONTROL MODULE 5 SL01					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
45	DALI DIM	AMENITY	DB-A- L7	S9	A
46	DALI DIM	FUNCTION	DB-A- L7	S8	A
47	DALI DIM	FUNCTION	DB-A- L7	S3	A
48	DALI DIM	EXTERNAL	DB-A- L8	S20	B
49	DALI DIM	EXTERNAL	DB-A- L8	WL03	B
50	DALI DIM	EXTERNAL	DB-A- L8	S19	B
51	DALI DIM	SPORTS BAR	DB-A- L6	WL02	C
52	DALI DIM	FUNCTION ROOM	DB-A- L6	WL02	C
53	DALI DIM	SPORTS BAR	DB-A- L6	WL04	D
54					A
55					A
56					A



ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au


C3637a - YAMANTO TAVERN

C3637a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 21 AUGUST 2026

CONTROL MODULE 6					A
TYPE:		DYNALITE DDRC1220FR-GL			A
DESCRIPTION		12CH 20 A FEEDTHROUGH RELAY CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUIT	USE	A
57	SWITCHED	INTERNAL	DB-A- L9	SIGN	A
58	SWITCHED	EXTERNAL	DB-A- L9	SIGN	A
59	SWITCHED	INTERNAL	DB-A- L9	SIGN	A
60	SWITCHED	INTERNAL	DB-A- L9	SIGN	A
61					A
62					A
63					A
64					A
65					A
66					A
67					A
68					A
CONTROL MODULE 7					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
69	DALI DIM	EXTERNAL	DB-A- L10	S13	A
70	DALI DIM	EXTERNAL	DB-A- L10	S12	A
71	DALI DIM	EXTERNAL	DB-A- L10	FS01	A
72	DALI DIM	EXTERNAL	DB-A- L11	S14	A
73	DALI DIM	EXTERNAL	DB-A- L11	FS01	A
74	DALI DIM	EXTERNAL	DB-A- L11	S12	A
75	DALI DIM	EXTERNAL	DB-A- L11	S13	A
76	DALI DIM	EXTERNAL	DB-A- L12	GL01	A
77	DALI DIM	EXTERNAL	DB-A- L12	GL02	A
78	DALI DIM	EXTERNAL	DB-A- L12	S18 & S19	B
79					A
80					A



ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au


C3637a - YAMANTO TAVERN

C3637a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 21 AUGUST 2026

CONTROL MODULE 8					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
81	DALI DIM	EXTERNAL	DB-A- L13	FS01	A
82	DALI DIM	EXTERNAL	DB-A- L13	WL03	A
83	DALI DIM	EXTERNAL	DB-A- L13	S22	A
84	DALI DIM	EXTERNAL	DB-A- L13	S13	A
85	DALI DIM	EXTERNAL	DB-A- L14	FS01	A
86	DALI DIM	EXTERNAL	DB-A- L14	S12	A
87	DALI DIM	EXTERNAL	DB-A- L14	S13	A
88	DALI DIM	EXTERNAL	DB-A- L14	S20	A
89					A
90					A
91					A
92					A
CONTROL MODULE 9					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
93	DALI DIM	BISTRO	DB-A- L15	S8	A
94	DALI DIM	AMENITY	DB-A- L15	S9	C
95	DALI DIM	BISTRO	DB-A- L15	S21	A
96	DALI DIM	GAMING	DB-A- L16	RD03	A
97	DALI DIM	BISTRO	DB-A- L17	S3	A
98	DALI DIM	BISTRO	DB-A- L17	S1	A
99	DALI DIM	BISTRO	DB-A- L17	S8	A
100	DALI DIM	AMENITY	DB-A- L17	S9	A
101	DALI DIM	BISTRO	DB-A- L15	RD03	B
102	DALI DIM	AMENITY	DB-A- L17	S23	B
103	DALI DIM	AMENITY	DB-A- L15	S23	B
104					A



ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au

C3637a - YAMANTO TAVERN

C3637a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 21 AUGUST 2026

CONTROL MODULE 10					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
105	DALI DIM	BISTRO	DB-A- L18	WL01 VIA A DALI TO TE CONVERTER	A
106	DALI DIM	BISTRO	DB-A- L18	WL01 VIA A DALI TO TE CONVERTER	A
107	DALI DIM	BISTRO	DB-A- L18	RD01	B
108	DALI DIM	BISTRO	DB-A- L19	RD03	B
109	DALI DIM	BISTRO	DB-A- L19	RD04 VIA A DALI TO TE CONVERTER	A
110	DALI DIM	BISTRO	DB-A- L19	RD04 VIA A DALI TO TE CONVERTER	A
111	DALI DIM	BISTRO	DB-A- L19	RD04 VIA A DALI TO TE CONVERTER	A
112	DALI DIM	BISTRO	DB-A- L20	RD04 VIA A DALI TO TE CONVERTER	A
113	DALI DIM	BISTRO	DB-A- L20	RD04 VIA A DALI TO TE CONVERTER	A
114	DALI DIM	BISTRO	DB-A- L20	RD04 VIA A DALI TO TE CONVERTER	A
115	DALI DIM	BISTRO	DB-A- L21	RD04 VIA A DALI TO TE CONVERTER	A
116	DALI DIM	BISTRO	DB-A- L21	PD01 VIA A DALI TO TE CONVERTER	A
CONTROL MODULE 11					A
TYPE:		DYNALITE DDBC1200			A
DESCRIPTION		12CH BOARD CAST DALI CONTROLLER			A
LOCATION		DIN RAIL MOUNTED WITHIN DB-A			A
BUS:		A			A
CHANNEL	CONTROL	DESCRIPTION			A
		LOCATION	CIRCUITS	USE	A
117	DALI DIM	BISTRO	DB-A- L21	RD04 VIA A DALI TO TE CONVERTER	A
118	DALI DIM	BISTRO	DB-A- L21	PD02 VIA A DALI TO TE CONVERTER	A
119	DALI DIM	BISTRO	DB-A- L21	RD01	B
120	DALI DIM	BISTRO	DB-A- L21	RD04 VIA A DALI TO TE CONVERTER	C
121	DALI DIM	BISTRO	DB-A- L22	RD04 VIA A DALI TO TE CONVERTER	A
122					A
123					A
124					A
125					A
126					A
127					A
128					A